

VOLUME 2
TABLE OF CONTENTS

WATER SYSTEMS SUMMARY

CHAPTER 1 – WATER SYSTEM DESCRIPTION

1.1	Introduction	1-1
1.1.1	Northern Public Water System	1-1
1.1.2	Central Public Water System	1-1
1.1.2.1	U.S. Navy Fena WTP	1-4
1.1.3	Southern Public Water System	1-6
1.1.3.1	Ugum WTP	1-7
1.1.3.2	Malojloj Wells	1-7
1.1.3.3	Laelae Spring	1-7
1.1.3.4	Geus Spring	1-7
1.1.3.5	Siligan Spring	1-7
1.2	GWA Water Sources	1-7
1.2.1	Wells	1-7
1.2.2	Springs	1-20
1.2.3	Surface Water	1-25
1.3	Transmission and Distribution	1-30
1.4	Pressure Zone Boundaries	1-35
1.5	Water Booster Pump Stations	1-54
1.6	Reservoirs	1-58
1.7	Hydraulic Profile.....	1-60
1.8	Conclusions	1-60
1.9	Recommendations.....	1-60
1.10	CIP Impacts	1-61

CHAPTER 2 – WATER REGULATORY ISSUES

2.1	Introduction	2-1
2.2	GEPA Safe Drinking Water Program	2-1
2.2.1	Phase I, II, IIb and V Rules	2-1
2.2.2	Surface Water Treatment Rule	2-3
2.2.3	Lead and Copper Rule	2-3
2.2.4	Total Coliform Rule (TCR)	2-4
2.2.5	Interim Enhanced Surface Water Treatment Rule (IESWTR)	2-4
2.2.6	Stage 1 Disinfection Byproducts Rule	2-5
2.2.7	Filter Backwash Recycling Rule (FBRR)	2-5

Vol 2 Water System
Table of Contents

2.2.8	Long Term 1 Enhanced Surface Water Treatment Rule (LT1ESWTR)	2-5
2.2.9	Water and Wastewater Operator Certification Regulations	2-6
2.2.10	Guam Lead Ban Act	2-6
2.2.11	Water Resources Management Program	2-7
2.2.12	Primary Drinking Water Standards	2-7
2.2.13	Secondary Drinking Water Standards.....	2-11
2.3	Additional EPA Regulations	2-12
2.3.1	Stage 2 Disinfection Byproduct Rule (S2DBPR)	2-12
2.3.2	Long-Term 2 Enhanced Surface Water Treatment Rule (LT2ESWTR)	2-13
2.4	Ground Water Under the Direct Influence of Surface Water (GWUDI)	2-13
2.5	GWA Regulatory Compliance History	2-16
2.5.1	Total Coliform Rule	2-16
2.5.1.1	Northern Water System	2-16
2.5.1.2	Central Water System	2-18
2.5.1.3	Southern Water System	2-18
2.5.1.4	Island-wide	2-18
2.5.2	Nitrate	2-18
2.5.2.1	Water and Environmental Research Institute (WERI) Report	2-18
2.5.2.2	Annual Water Quality Reports	2-19
2.5.3	Lead-Copper Rule Compliance	2-19
2.5.4	Organics Chemical Contaminants	2-20
2.5.4.1	Synthetic Organic Chemicals (SOC)	2-20
2.5.4.2	Volatile Organic Compounds (VOC)	2-20
2.5.5	Radionuclides	2-21
2.5.6	Surface Water Treatment Rules	2-22
2.5.7	Secondary Treatment Standards	2-23
2.5.8	Operator Certification Requirements	2-23
2.6	Conclusions	2-23
2.7	Recommendations	2-24
2.8	CIP Impacts	2-24
	References	2-24

CHAPTER 3 – WATER BUDGET

3.1	Introduction	3-1
3.2	Background	3-1
3.3	Hydrologic Budgets	3-2
3.3.1	Northern Guam	3-3
3.3.2	Southern Guam	3-4
3.4	Water Resources Occurrence and Behavior	3-5

3.4.1	Northern Guam	3-5
3.4.1.1	Aquifer Classification	3-6
3.4.2	Southern Guam	3-9
3.4.2.1	Groundwater	3-9
3.4.2.2	Surface Water	3-9
3.5	Water Development	3-10
3.5.1	Northern Guam	3-18
3.5.2	Southern Guam	3-20
3.5.2.1	Surface Water	3-20
3.5.2.2	Groundwater	3-25
3.6	Status of the Water Resources	3-29
3.6.1	Northern Guam	3-29
3.6.1.1	Groundwater Status by Aquifer Sectors	3-29
3.6.2	Southern Guam	3-36
3.7	Quality of the Water Resources: Potential Contamination	3-36
3.7.1	Groundwater Contamination Observations	3-36
3.7.2	Well Head Protection.....	3-39
3.8	Water Resources Monitoring	3-40
3.9	Conclusions	3-47
3.10	Recommendations.....	3-50
3.11	CIP Impacts	3-51
	References	3-51
	Exhibit 3A – Hydrologic Budgets	3-52
	Exhibit 3B – GWA Revenue Summary – October 1999 – September 2004.....	3-55

CHAPTER 4 – WATER LOSS CONTROL

4.1	Introduction	4-1
4.2	Leak Detection Program Assistance and Recommended Future Actions.....	4-1
4.2.1	Recommended Priorities for System Repairs and Data Collection.....	4-2
4.2.2	Leak Detection Study Results	4-5
4.2.3	Develop Information Necessary to Complete a Comprehensive Water Distribution System Audit	4-8
4.3	Conclusions	4-12
4.4	Recommendations.....	4-12
4.5	CIP Impacts	4-12
	References	4-13

CHAPTER 5 – WATER CONSERVATION

5.1	Introduction	5-1
5.2	General Background	5-1

Vol 2 Water System
Table of Contents

5.3	Methodology for Estimating Water Savings.....	5-2
5.3.1	Quantifiable and Non-Quantifiable BMPs	5-2
5.3.2	Analysis Perspective	5-3
5.3.3	Analysis Terminology and General Assumptions.....	5-3
5.3.4	Benefit Cost Modeling Overview.....	5-5
5.3.5	Model Inputs and Data Analysis	5-6
5.3.6	GWA Customer Characteristics	5-6
5.3.7	Annual Account Water Use	5-7
5.3.8	Indoor/Outdoor Water Use	5-8
5.3.9	Annual Market Penetration/Implementation Requirements	5-9
5.3.10	Water Conservation Program Costs Inputs.....	5-9
5.4	Recommended Next Steps.....	5-9
5.4.1	GWA Controlled and Customer and/or Outside Agency Dependent.....	5-9
5.5	Conclusions	5-10
5.6	Recommendations.....	5-10
5.7	CIP Impacts	5-11
	References	5-12

CHAPTER 6 – WATER SYSTEM HYDRAULIC MODELING

6.1	Introduction – Hydraulic Network Analysis	6-1
6.1.1	Planning	6-1
6.1.2	Design.....	6-1
6.1.3	Operations	6-1
6.2	Water Model Development Background	6-1
6.3	Model Network Development	6-3
6.3.1	Pipes	6-4
6.3.1.1	Pipe Information	6-4
6.3.1.2	Pipe Modeling Data	6-5
6.3.2	Junctions	6-6
6.3.2.1	Junction Information Database	6-6
6.3.2.2	Junction Demand Data	6-7
6.3.3	Valves	6-8
6.3.3.1	Valve information	6-8
6.3.3.2	Valve Modeling Data	6-9
6.3.4	Pumps	6-9
6.3.4.1	Pump Information	6-10
6.3.4.2	Pump Modeling Data	6-10
6.3.5	Tanks	6-11
6.3.5.1	Tank Information	6-11

6.3.5.2	Tank Modeling Data	6-12
6.4	Model Simplification and Improvement	6-13
6.5	Water Supply	6-16
6.5.1	Deep Wells.....	6-16
6.5.2	Navy (FENA) Water Supply	6-16
6.5.3	Ugum WTP.....	6-16
6.5.4	Springs	6-16
6.6	Water Demand Projection	6-17
6.6.1	Development Polygons	6-17
6.6.2	Large Demand Users	6-22
6.6.3	Demand Peaking Factors	6-24
6.6.4	Fire Flows	6-24
6.7	Mass Balance and Demand per Capita	6-25
6.8	Conceptual Model Calibration.....	6-28
6.8.1	Field Data Collection	6-28
6.8.2	Preliminary Calibration	6-29
6.8.3	Preliminary Calibration Limitation and Additional Calibration Needs.....	6-33
6.9	Model Simulation.....	6-34
6.9.1	Simulations Scenarios.....	6-35
6.9.2	2005 Existing Condition Model Simulations	6-36
6.9.3	Simulations Results.....	6-37
6.9.4	System Improvement Recommendations	6-55
6.10	Model Update and Maintenance	6-55
6.10.1	Addition of New Pipes and Junctions	6-55
6.10.2	Facilities Updates	6-56
6.10.3	Addition of New Facilities.....	6-56
6.10.4	New Pressure Zones	6-57
6.10.5	Update of Diurnal Curves	6-57
6.10.6	Update of Demands	6-57
6.10.7	Calibration Update.....	6-58
6.11	2025 CIP Investigating Model (CIM).....	6-58
6.11.1	Water Demand Projection.....	6-58
6.11.2	2025 CIM Simulations.....	6-59
6.11.3	Simulation Work Flow	6-59
6.11.4	Initial Simulation Results	6-60
6.11.5	CIP Methodology	6-60
6.11.6	Final Simulation Results.....	6-61

CHAPTER 7 – WATER SYSTEM FACILITIES CONDITION ASSESSMENT

7.1	Introduction	7-1
7.2	Assessment Approach	7-1
7.3	Factors Affecting Condition	7-3
7.4	Condition Assessment	7-3
7.5	Wells	7-4
7.6	Booster Stations	7-4
7.7	Ugum WTP	7-4
7.8	Conclusions	7-4
7.9	Recommendations.....	7-5
7.10	CIP Impacts	7-5

CHAPTER 8 – WATER SYSTEM FACILITIES

8.1	Introduction	8-1
8.2	Water Loss.....	8-1
8.3	Fire Protection	8-2
8.3.1	Planning Criteria	8-2
8.3.1.1	Fire Flow Requirements	8-3
8.3.1.2	Pipeline Sizing	8-3
8.3.1.3	Reservoir Capacity	8-4
8.3.1.4	Total Pump Capacity	8-4
8.3.2	Fire Flow Protection	8-4
8.4	PRV Station Improvements	8-11
8.5	Wells	8-17
8.6	Water Treatment Facilities	8-22
8.7	Future Water System Facilities Improvements.....	8-25
8.8	Hydraulic Profiles.....	8-29
8.9	Conclusions	8-34
8.10	2005 CPM Recommendations.....	8-34
8.11	2025 CIM Recommendations.....	8-34
8.12	CIP Impacts	8-35

CHAPTER 9 – RECOMMENDED WATER SYSTEMS CIP

9.1	Introduction	9-1
9.2	Project Ranking.....	9-1
9.3	Conclusions	9-3
9.4	Recommendations.....	9-4
9.5	CIP Impacts	9-4

TABLES

<u>No.</u>		<u>Page</u>
1-1	GWA Facilities	1-1
1-2	Navy Supply Connections to GWA System	1-5
1-3	GWA Wells	1-9
1-4a	Chloride Levels in GWA Wells, 1996 thru 2000 (Well Nos. A-1 thru EX-11).....	1-21
1-4b	Chloride Levels in GWA Wells, 1996 thru 2000 (Well Nos. F-1 thru MJ-5)	1-22
1-5a	Chloride Levels in GWA Wells, 2001 thru 2005 (Well Nos. A-1 thru EX-11).....	1-23
1-5b	Chloride Levels in GWA Wells, 2001 thru 2005 (Well Nos. F-1 thru MJ-5)	1-24
1-6	GWA Springs	1-25
1-7	Ugum WTP Design Data	1-28
1-8	2001 Comprehensive Performance Evaluation Capacity Assessment	1-30
1-9	Distribution Piping Material, Age and Length by Village	1-31
1-10	Water Distribution Pipe Type and Length	1-35
1-11	Water Distribution Pipe Length by Diameter	1-36
1-12	Pressure Reducing Valve Stations	1-52
1-13	GWA Water Booster Pump Stations	1-55
1-14	GWA Reservoirs	1-58
2-1	Primary Drinking Water Standards – Microorganisms	2-8
2-2	Primary Drinking Water Standards – Disinfection By-Products	2-9
2-3	Primary Drinking Water Standards – Disinfectants	2-9
2-4	Primary Drinking Water Standards – Inorganic Chemicals	2-9
2-5	Primary Drinking Water Standards – Organic Chemicals	2-10
2-6	Primary Drinking Water Standards – Radionuclides	2-11
2-7	Secondary Drinking Water Standards	2-12
2-8	GWUDI Scenarios	2-15
2-9	Nitrate-Nitrogen Trends in Wells of the Northern Guam Lens	2-19
2-10	Regulated Synthetic Organic Compounds Summary by Water Source	2-20
2-11	Regulated Volatile Organic Compounds Summary by Water Source	2-21
2-12	Regulated Radionuclides Summary by Water Source	2-22
3-1	Summary of Attempts to Develop a Global Hydrologic Budget	3-4
3-2	NGLS and Proposed Aquifer Classifications	3-8
3-3	GWA Production Data Report	3-12
3-4	Earth Tech Water System	3-17
3-5	GWA and McDonald Data Set Comparison	3-18
3-6	Summary of Revised Sustainable Yields (SY) in MGD	3-19
3-7	Summary of Potential Reservoir Sites	3-22
3-8	Summary of Potential Diversion Sites	3-22
3-9	Inventory of Wells Drilled in Southern Guam Since 1965	3-26

Vol 2 Water System
Table of Contents

3-10	Wells Drilled in the Limestones of Southern Guam Since 1965	3-27
3-11	Wells Drilled in the Volcanics of Southern Guam Since 1965	3-28
3-12	Comparison of NO ₃ -N Concentrations at Wells for 1976 and 2003 (mg/L)	3-38
3-13	Well Depth and Location	3-42
3-14	Measured Water Table Elevations	3-43
4-1	Water Leak Detection Study Summary	4-5
4-2	IWA Water Audit Format.....	4-8
5-1	Quantifiable and Non-Quantifiable BMPs.....	5-3
5-2	Water Savings Assumptions.....	5-4
5-3	Summary of Intervention Life Span Assumptions.....	5-5
5-4	FY 2005-06 Customer and Water Use Characteristics by GWA	5-8
5-5	Purveyor Controlled versus Customer and/or Outside Agency Dependent BMPs	5-10
6-1	Large Users in the GWA Hydraulic Model	6-22
6-2	Guam Water Supply Sources.....	6-25
6-3a	Water and Supply by Pressure Zones, South System.....	6-26
6-3b	Water and Supply by Pressure Zones, Central System	6-27
6-3c	Water and Supply by Pressure Zones, North System	6-27
6-3d	Water and Supply by Water Systems	6-28
6-4	Preliminary Reservoirs Calibration Data.....	6-30
6-5	Preliminary Pressure Calibration Data from Key Locations.....	6-31
6-6a	Deficiencies in the 2005 Existing Condition Model – Central System	6-43
6-6b	Deficiencies in the 2005 Existing Condition Model – South System.....	6-44
6-6c	Deficiencies in the 2005 Existing Condition Model – North System	6-45
7-1	Assessment Elements	7-1
7-2	Equipment Physical Condition Rating	7-2
7-3	Equipment Functionality Rating	7-3
8-1	Priority List for Waterline Repair or Replacement.....	8-2
8-2	Fire Flow Requirements	8-3
8-3	Water Main “C” Coefficient	8-3
8-4	Fire Flow Velocities	8-5
8-5	2005 CPM Southern Distribution System Improvements	8-6
8-6	2005 CPM Central Distribution System Improvements	8-7
8-7	2005 CPM Northern Distribution System Improvements	8-7
8-8	2005 CPM Recommended Booster Pump Stations	8-11
8-9	2005 CPM Recommended Reservoirs.....	8-11
8-10	PRV Station Improvements.....	8-15
8-11	Recommended Raw Water Transmission Lines	8-18
8-12	Modeling Results from Ugum WTP for 4.0 mgd Supply.....	8-23
8-13	Modeling Results from Ugum WTP for 7.2 mgd Supply.....	8-24

8-14	Ugum WTP Improvements	8-25
8-15	2025 CIM Southern Distribution System Improvements	8-26
8-16	2025 CIM Northern Distribution System Improvements.....	8-26
8-17	2025 CIM Recommended Booster Pump Stations	8-28
8-18	2025 CIM Recommended Reservoirs	8-28
8-19	2025 CIM Recommended Raw Water Supply Wells.....	8-29
9-1	Water Systems CIP.....	9-5
9-2	Water Reservoir Internal/External Corrosion Assessment Program.....	9-6
9-3	Water Reservoir Internal/External Corrosion Rehabilitation Program.....	9-7
9-4	Ugum Water Treatment Plant Membrane Filtration.....	9-8
9-5	Ugum Water Treatment Plant Reservoir Replacement	9-9
9-6	Ugum Water Treatment Plant Intake Modifications.....	9-10
9-7	Water Distribution System Pipe Replacement.....	9-11
9-8	Mechanical/Electrical Equipment Replacement	9-12
9-9	Southern System Water Distribution System 2005 Improvements	9-13
9-10	Central System Water Distribution System 2005 Improvements	9-15
9-11	Northern System Water Distribution System 2005 Improvements.....	9-17
9-12	Pressure Zone Realignment/Development 2005 Improvements.....	9-21
9-13	Water Booster Pump Station 2005 Improvements	9-24
9-14	Water System Reservoirs 2005 Improvements	9-25
9-15	Northern System Raw Water Transmission Lines	9-26
9-16	Water System Supply Wells 2025 Improvements.....	9-28
9-17	Southern System Water Distribution System 2025 Improvements	9-29
9-18	Northern System Water Distribution System 2025 Improvements.....	9-30
9-19	Water Booster Pump Station 2025 Improvements	9-33
9-20	Water System Reservoirs 2025 Improvements	9-34
9-21	Northern System GWUDI Filtration Compliance.....	9-36
9-22	Electrical Upgrade –Water Booster Stations (Pago Bay, etc.)	9-37
9-23	Electrical Upgrade –Water Booster Stations (Gayinero, etc.).....	9-38
9-24	Electrical Upgrade –Water Booster Stations (Other WBPS).....	9-39
9-25	Electrical Upgrade - Water Wells	9-40

FIGURES

<u>No.</u>		<u>Page</u>
1-1	Water System Boundaries	1-2
1-2	Water System Overlaps	1-3
1-3a-e	GWA Well Locations.....	1-13
1-4	Typical Well Site	1-18
1-5	Typical Indoor Well Chlorination System Installation	1-19

Vol 2 Water System
Table of Contents

1-6	Typical Outdoor Well Chlorination System Installation	1-20
1-7	GWA Spring Locations	1-26
1-8	Ugum WTP Process Schematic	1-27
1-9a-e	Pipe Material.....	1-37
1-10a-e	Pipe Age.....	1-42
1-11a-e	Pressure & Ground Water Management Zones	1-47
1-12	GWA Booster Pump Station Locations	1-57
1-13	GWA Reservoir Locations	1-59
1-14	Hydraulic Profile for North Network	1-62
1-15	Hydraulic Profile for South and Central Network	1-63
2-1	Wells with Coliform Hits from 1998-2002	2-17
2-2	Wells with Coliform Hits from 2003-2005	2-17
3-1	Sectors and Systems	3-7
3-2	Well Number D-1	3-21
3-3	Potential Reservoir Sites	3-23
3-4	Potential Diversion Sites	3-24
3-5	Agana Sector	3-31
3-6	Yigo-Tumon Sector	3-33
3-7	Finegayan Sector	3-34
3-8	Mangilao Sector	3-35
3-9	USGS Data Collection Sites	3-41
3-10	Observation Well EX – 1	3-43
3-11	Observation Well EX – 4	3-44
3-12	Observation Well EX – 6	3-44
3-13	Observation Well EX – 7	3-45
3-14	Observation Well EX – 9	3-45
3-15	Observation Well EX – 10	3-46
3-16	Observation Well EX – Ghura	3-46
5-1	Benefit to Cost Modeling Process Flow Chart	5-6
5-2	FY2005-06 Water Use by Customer Category (kgal).....	5-7
6-1	Diurnal Model.....	6-16
6-2	2005 Populations, Development Polygons and Large Water Users (South/Central)...	6-18
6-3	2005 Populations, Development Polygons and Large Water Users (North 1)	6-19
6-4	2005 Populations, Development Polygons and Large Water Users (North 2)	6-20
6-5	2005 Populations, Development Polygons and Large Water Users (North 3)	6-21
6-6	GWA Average Daily Well Production	6-29
6-7	Preliminary Pressure Calibration Data from Key Locations.....	6-32
6-8	Hydraulic Simulation Analysis Process Flow Diagram.....	6-35
6-9	2005 ECM: Max-Day, Min Pressure (<40 psi)	6-38

6-10	2005 ECM: Max-Day, Max Velocity (>6 fps).....	6-39
6-11	2005 ECM: Max-Day, Available Fire Flow (Min 20 psi residual pressure)	6-40
6-12	2005 ECM: South-Central Reservoir Levels, Max-Day Scenario.....	6-41
6-13	2005 ECM: North Reservoir Levels, Max-Day Scenario, Part 1 of 2.....	6-41
6-14	2005 ECM: North Reservoir Levels, Max-Day Scenario, Part 2 of 2.....	6-42
6-15	2005 ECM: System Demand and Supply, Max-Day Scenario	6-42
6-16	2005 CPM: Modified and New Facilities, Part 1 of 2	6-48
6-17	2005 CPM: Modified and New Facilities, Part 2 of 2	6-49
6-18	2005 CPM: Max-Day, Min Pressure (<40 psi)	6-50
6-19	2005 CPM: Max-Day, Max Velocity (>6 fps)	6-51
6-20	2005 CPM: Max-Day, Available Fire Flow (Min 20 psi residual pressure).....	6-52
6-21	2005 CPM: South-Central Reservoir Levels, Max-Day Scenario	6-53
6-22	2005 CPM: North Reservoir Levels, Max-Day Scenario, Part 1 of 2.....	6-53
6-23	2005 CPM: North Reservoir Levels, Max-Day Scenario, Part 2 of 2.....	6-54
6-24	2005 CPM: System Demand and Supply, Max-Day Scenario	6-54
6-25	2025 CIM: Modified and New Facilities	6-62
6-26	2025 CIM: Max-Day, Min Pressure (<40 psi).....	6-63
6-27	2025 CIM: Max-Day, Max Velocity (>6 fps)	6-64
6-28	2025 CIM: Max-Day, Available Fire Flow (Min 20 psi residual pressure).....	6-65
6-29	2025 CIM: North Reservoir Levels, Max-Day Scenario (Part 1 of 5)	6-66
6-30	2025 CIM: North Reservoir Levels, Max-Day Scenario (Part 2 of 5)	6-66
6-31	2025 CIM: North Reservoir Levels, Max-Day Scenario (Part 3 of 5)	6-67
6-32	2025 CIM: North Reservoir Levels, Max-Day Scenario (Part 4 of 5)	6-67
6-33	2025 CIM: North Reservoir Levels, Max-Day Scenario (Part 5 of 5)	6-68
6-34	2025 CIM: South-Central Reservoir Levels, Max-Day Scenario (Part 1 of 2).....	6-68
6-35	2025 CIM: South-Central Reservoir Levels, Max-Day Scenario (Part 2 of 2).....	6-69
6-36	2025 CIM: System Demand and Supply, Max-Day Scenario	6-69
8-1	Pressure Zone Map of Northern Guam	8-13
8-2	Pressure Zone Map of Southern Guam.....	8-14
8-3	Proposed North Transmission Lines	8-20
8-4	Proposed North Transmission Lines	8-21
8-5	2005 CIP Hydraulic Profile for North Network	8-30
8-6	2005 CIP Hydraulic Profile for South & Central Network.....	8-31
8-7	2025 CIM Hydraulic Profile for North Network	8-32
8-8	2025 CIM Hydraulic Profile for South & Central Network	8-33

APPENDICES

- 2A Water Leak Detection Study
- 2B Water Systems Condition Assessment (CD format)
- 2C Hydraulic Analysis of Proposed Transmission Main
- 2D Collector Well Feasibility Studies, Phases 1 and 2